




FLUE SALES GUIDE

Price List Effective - Mar/25



Visionline Flue Systems offers a cutting-edge range of flue solutions designed for efficiency, safety, and versatility for Domestic solid fuel flue applications.

Our premium flue systems include SFS (Standard Flue Systems) for air cooled venting, IFS (Insulated Flue Systems) for enhanced thermal efficiency within the home and AFS+ (Air Flue System Plus) for balanced flue applications that optimise air intake and exhaust. Engineered for durability and compliance with industry standards, Visionline Flue Systems provide reliable and high-performance venting solutions tailored to suit the different installation requirements home owners have come to need as the building industry changes.

Understanding where to use each of the 3 types of flue systems is key in assisting you to recommend which system is the right fit for your customer. This guide is designed around helping navigate your recommendations as well as simplify the decision making process providing quick access to the prices and components you may need to effectively and efficiently find the right fit.




Best



Better



Good



Air Flue Systems have the same insulation properties of IFS plus an air gap for outside air intake and an additional safety layer of 12mm insulation.

Advantages:

- Same as IFS plus outside air for high star rated and passive homes

Best for:

- 7plus star rated homes
- BAL 40 and FZ zones (Bush Fire attack level)




Insulated Flue Systems have a 25mm layer of fibrofrax insulation packed between the active and outer skin. Utilising a European twist lock system tested for stopping water ingress.

Advantages:

- Easy installation with twist lock
- Noise reduction from wind outside the home
- Increased thermal efficiency within the room

Best for:

- Renovated homes with energy conservation in mind
- Value conscious customers



Standard Flue Systems are air cooled and triple cased flue through ceiling and floor penetrations.

Advantages:

- Safe air cooled system
- Decro-mesh and Decro-solid outer casings within the room to suit the chosen style

Best for:

- Older homes
- Large capacity heaters
- Budget conscious customers

	SFS	IFS	AFS+
Powder Coat Black	YES (inside the room)	YES	YES
Twist Lock	NO	YES	YES
90% Wind Noise Reduction	NO	YES	YES
High Wind Cowl Standard	YES	YES	YES
Stand off Ceiling Ring	YES	YES	NO
FlushFlat Ceiling ring with thermo seal rubber	NO	NO	YES
Integrated outside combustionair intake	NO	NO	YES
Insulated System	NO	YES	YES
Air Cooled System	YES	NO	NO
BAL– FZApproved	NO	YES	YES
Full Stainless Construction	NO	YES	YES
Approved for closed envelope construction (Passive)	NO	NO	YES
Can be boxed in (enclosed)	YES	NO	YES

TABLE OF CONTENTS

FLUE TYPES

PAGE NUMBER

Safety Vent 6" KIT LRG Starter - AIR	4
Safety Vent 6" KIT LRG Starter - NONAIR	5
Safety Vent 6" TW KIT LRG Starter - AIR	7
Safety Vent 6" TW KIT Med Starter - AIR	7
Safety Vent 6" TW KIT LRG Starter - NONAIR	9
Safety Vent 6" TW KIT Med Starter - MNONAIR	9
EXTRA Air flue COMPONENTS	11
INSULATED FLUE 25mm KIT 4mtr	15
INSULATED FLUE 45 WALL PEN KIT	17
INSULATED FLUE 90 WALL PEN KIT	19
Pellet flue kit 4mtr Vertical black	23
Pellet flue kit Horizontal termination	23
Pellet flue kit rear wall pen 4mtr Vertical black	23
IFS and Air flue Offsets	25




AIR FLUE KITS

Air flue can be installed with outside air in 2 ways.

1. Via outside air connection on the rear or bottom of the fireplace where a snorkel is required.
2. Via outside air connection connected to a concentric flue spigot.

This flue system can also be installed on units that do not have an air intake system if so desired.

Once you've established which configuration you need, go to one of the following flue kits to begin putting a price together.



Snorkel connection


CODE	DESCRIPTION	SNORKEL REQUIRED IN KIT?	STOVE PIPE TYPE	PAGE
VFKIT-6-AIR	SAFETY VENT 6" KIT LRG STARTER - AIR	YES	CRIMP	
VFKIT6-NONAIR	SAFETY VENT 6" KIT LRG STARTER - NONAIR	NO	CRIMP	
VFKIT6-TW-AIR	SAFETY VENT 6" TW KIT LRG STARTER - AIR	YES	TWIST LOCK	
VFKIT6-TW-MAIR	SAFETY VENT 6" TW KIT MED STARTER - AIR	YES	TWIST LOCK	
VFKIT6-TW-NONAIR	SAFETY VENT 6" TW KIT LRG STARTER - NON AIR	NO	TWIST LOCK	
VFKIT6-TW-MNONAIR	SAFETY VENT 6" TW KIT MED STARTER - AIR	NO	TWIST LOCK	

Air flue kits require the selection of one of the adjustable stove pipe pieces to complete the assembly and if the flue kit is a snorkel kit, to also select either a standard or large snorkel.

Both snorkels come standard with a 100mm joiner pipe with a tapered end to suit 80mm outside air connections on the appliance. A snorkel to heater elbow may be required if the outside air connection is underneath the appliance or on an angle.

Female adjustable stove pipe will be chosen based on the ceiling height and the unit height in the room. See adjacent picture for an example of how the appropriate adjustable should be selected.

If the information is unavailable, take all 3 to site and return the unused item back to inventory for the next job.



Adjustable female addition example




Safety Vent 6" KIT LRG Starter - AIR

RRP - \$1080

VFKIT6-AIR

Kit Contains: *Crimped joins to stove pipe*

Add female adjustable to suit
Add snorkel to suit
Add outside air elbow if required



	Product Code	Description	RRP	SUB TOTAL OF KIT INCLUDING SNORKEL
ADJUSTABLE	VF-3-60-104(1F)	AIR FLUE 6" STOVE PIPE SML ADJUSTABLE 300MM FEMALE	\$ 77	\$1319
	VF-3-60-105(1F)	AIR FLUE 6" STOVE PIPE MED ADJUSTABLE 600MM FEMALE	\$ 93.50	\$1335.50
	VF-3-60-109(1F)	AIR FLUE 6" STOVE PIPE LRG ADJUSTABLE 1MTR FEMALE	\$ 104.50	\$1346.50
SNORKELS	VF-3-60-099	AIR FLUE UNIVERSAL ADJUSTABLE SNORKEL STD V2	\$ 162	
	VF-3-60-191	AIR FLUE UNIVERSAL ADJUSTABLE SNORKEL LRG	\$ 162	
SNORKEL TO HEATER JOINERS	VF-5-01-001	100MM ADJUSTABLE ELBOW 0 TO 90 DEGREES	\$ 38	
	VF-3-01-104	100MM 45 DEG GAL BEND POWDER COAT BLACK	\$ 33	
	VF-3-01-105	100MM 90 DEG GAL BEND POWDER COAT BLACK	\$ 33	

Additional lengths, elbows and support options can be found on page 11 & 12



Example showing Visionline Taurus with VFKIT6-AIR, STD snorkel and LRG female adjustable.

Dektite not included in kit



VL6RB-KIT-BL \$104.50
AVAILABLE IN GAL OR BLACK



VF-3-60-003 \$77




Safety Vent 6" KIT LRG Starter - NONAIR
VFKIT6-NONAIR

RRP - \$1022

Add female adjustable to fit
 Snorkel not required

Kit Contains: *Crimped joins to stove pipe*



	Product Code	Description	RRP	SUB TOTAL OF KIT
ADJUSTABLE	VF-3-60-104(1F)	AIR FLUE 6" STOVE PIPE SML ADJUSTABLE 300MM FEMALE	\$ 77	\$1099
	VF-3-60-105(1F)	AIR FLUE 6" STOVE PIPE MED ADJUSTABLE 600MM FEMALE	\$ 93.50	\$1115.50
	VF-3-60-109(1F)	AIR FLUE 6" STOVE PIPE LRG ADJUSTABLE 1MTR FEMALE	\$ 104.50	\$1126.50









Additional lengths, elbows and support options can be found on adjacent page



Example showing Visionline Taurus with VFKIT6-NONAIR






STOVE PIPE - BELOW CEILING - CRIMPED PIPE

Extra Components - add as required

	Product Code	Description	RRP	
FIXED LENGTHS	VF-3-60-100	AIR FLUE 6" STOVE PIPE 250MM	\$ 88	
	VF-3-60-102	AIR FLUE 6" STOVE PIPE 500MM	\$ 121	
	VF-3-60-106	AIR FLUE 6" STOVE PIPE 1000MM	\$ 154	
	VF-3-60-107	AIR FLUE 6" STOVE PIPE 1200MM	\$ 187	
ADJUSTABLE LENGTHS	VF-3-60-104(2M)	AIR FLUE 6" STOVE PIPE SML ADJUSTABLE 300MM MALE	\$ 77	
	VF-3-60-105(2M)	AIR FLUE 6" STOVE PIPE MED ADJUSTABLE 600MM MALE	\$ 93.50	
	VF-3-60-109(2M)	AIR FLUE 6" STOVE PIPE LRG ADJUSTABLE 1MTR MALE	\$ 104.50	
	VF-3-60-145	AIR FLUE 6" STOVE PIPE 45 ELBOW	\$ 132	

SAFETY VENT - ABOVE CEILING

Extra Components - add as required

	Product Code	Description	RRP	
INSULATED PIPE	VF-3-60-201	AIR FLUE 6" SAFETY VENT 250MM	\$ 138	
	VF-3-60-202	AIR FLUE 6" SAFETY VENT 500MM	\$ 170	
	VF-3-60-203	AIR FLUE 6" SAFETY VENT 1000MM	\$ 260	
	VF-3-60-245	AIR FLUE 6" SAFETY VENT 45 ELBOW	\$ 166	
	VF-3-60-246	AIR FLUE 6" ELBOW SUPPORT BRACKET KIT (v2) (2 PIECES)	\$ 55	

TWIST LOCK KITS

Stove pipe is also available with twist lock for the joins instead of crimped ends.

This is a preferred method for ease of installation.

The crimped stove pipe will be discontinued once stock is exhausted.



Twist lock kits with outside air


Safety Vent 6" TW KIT LRG Starter - AIR

RRP - \$1295

VFKIT6-TW-AIR

Add twist lock female adjustable to fit

Kit Contains: *Twist lock joins to stove pipe - note male T-section is 1mtr*




Safety Vent 6" TW KIT Med Starter - AIR

RRP - \$1295

VFKIT6-TW-MAIR


Add twist lock female adjustable to fit


Kit Contains: *Twist lock joins to stove pipe - note male T-section is 600mm*



Suitable for tall units with low ceilings

Additional Components required to complete installation

	Product Code	Description	Part RRP	Sub Total of kit including snorkel
ADJUSTABLE	VF-TW-104(F)	AIR FLUE 6" STOVE PIPE SML ADJUSTABLE 300MM FEMALE TWIST LOCK	\$ 77	\$1372
	VF-TW-105(F)	AIR FLUE 6" STOVE PIPE MED ADJUSTABLE 600MM FEMALE TWIST LOCK	\$ 93.50	\$1388.50
	VF-TW-109(F)	AIR FLUE 6" STOVE PIPE LRG ADJUSTABLE 1MTR FEMALE TWIST LOCK	\$ 104.50	\$1399.50
SNORKELS	VF-3-60-099	AIR FLUE UNIVERSAL ADJUSTABLE SNORKEL STD V2	\$ 162	
	VF-3-60-191	AIR FLUE UNIVERSAL ADJUSTABLE SNORKEL LRG	\$ 162	
SNORKEL TO HEATER JOINERS	VF-5-01-001	100MM ADJUSTABLE ELBOW 0 TO 90 DEGREES	\$ 38	
	VF-3-01-104	100MM 45 DEG GAL BEND POWDER COAT BLACK	\$ 33	
	VF-3-01-105	100MM 90 DEG GAL BEND POWDER COAT BLACK	\$ 33	



Snorkel connection



Example showing Visionline Taurus with VFKIT6-TW-AIR, Large snorkel and LRG Twist lock female adjustable.

Dektite not included in kit

TWIST LOCK KITS

Twist lock kits without outside air


Safety Vent 6" TW KIT LRG Starter - NONAIR

RRP - \$1237.50

VFKIT6-TW-NONAIR

Add twist lock female adjustable to fit
 See over page

Kit Contains: *Twist lock joins to stove pipe - note male starter is 1mtr*




Safety Vent 6" TW KIT Med Starter - MNONAIR

RRP - \$1226.50

VFKIT6-TW-MNONAIR




Add twist lock female adjustable to fit
 See over page

Kit Contains: *Twist lock joins to stove pipe - note male starter is 600mm*








Suitable for tall units with low ceilings

Additional Components required to complete installation

	Product Code	Description	RRP	Sub Total of LRG kit	Sub Total of MED kit	
ADJUSTABLE	VF-TW-104(F)	AIR FLUE 6" STOVE PIPE SML ADJUSTABLE 300MM FEMALE TWIST LOCK	\$ 77	\$1314.50	\$1303.50	
	VF-TW-105(F)	AIR FLUE 6" STOVE PIPE MED ADJUSTABLE 600MM FEMALE TWIST LOCK	\$ 93.50	\$1331	\$1320	
	VF-TW-109(F)	AIR FLUE 6" STOVE PIPE LRG ADJUSTABLE 1MTR FEMALE TWIST LOCK	\$ 104.50	\$1342	\$1331	

STOVE PIPE - BELOW CEILING - TWIST LOCK

Extra Components - add as required

FIXED LENGTHS - TWIST LOCK	VF-TW-100	AIR FLUE 6" STOVE PIPE 250MM TWIST LOCK	\$ 88	
	VF-TW-102	AIR FLUE 6" STOVE PIPE 500MM TWIST LOCK	\$ 121	
	VF-TW-106	AIR FLUE 6" STOVE PIPE 1000MM TWIST LOCK	\$ 154	
	VF-TW-107	AIR FLUE 6" STOVE PIPE 1200MM TWIST LOCK	\$ 187	
	VF-TW-145	AIR FLUE 6" STOVE PIPE 45 ELBOW TWIST LOCK	\$ 132	

SAFETY VENT - ABOVE CEILING

Extra Components - add as required

INSULATED PIPE	VF-3-60-201	AIR FLUE 6" SAFETY VENT 250MM	\$ 138	
	VF-3-60-202	AIR FLUE 6" SAFETY VENT 500MM	\$ 170	
	VF-3-60-203	AIR FLUE 6" SAFETY VENT 1000MM	\$ 260	
	VF-3-60-245	AIR FLUE 6" SAFETY VENT 45 ELBOW	\$ 166	
	VF-3-60-246	AIR FLUE 6" ELBOW SUPPORT BRACKET KIT (v2) (2 PIECES)	\$ 55	



EXTRA COMPONENTS

AIR FLUE 6" COMPONENTS

	Product Code	Description	RRP
FIXED LENGTH FLUE	VF-3-60-100	AIR FLUE 6" STOVE PIPE 250MM	\$ 88
	VF-3-60-102	AIR FLUE 6" STOVE PIPE 500MM	\$ 121
	VF-3-60-106	AIR FLUE 6" STOVE PIPE 1000MM	\$ 154
	VF-3-60-107	AIR FLUE 6" STOVE PIPE 1200MM	\$ 187
T SECTIONS	VF-3-60-190	AIR FLUE 6" STOVE PIPE T SECTION v2	\$ 162
	VF-3-60-198(M)	AIR FLUE 6" STOVE PIPE T SECTION MED ADJUSTABLE 600MM MALE	\$ 162
	VF-3-60-199(M)	AIR FLUE 6" STOVE PIPE T SECTION LRG ADJUSTABLE 1MTR MALE	\$ 162
ADJUSTABLE FLUE	VF-3-60-104(MS)	AIR FLUE 6" STOVE PIPE SML ADJUSTABLE 300MM MALE STARTER	\$ 77
	VF-3-60-104(2M)	AIR FLUE 6" STOVE PIPE SML ADJUSTABLE 300MM MALE	\$ 77
	VF-3-60-104(1F)	AIR FLUE 6" STOVE PIPE SML ADJUSTABLE 300MM FEMALE	\$ 77
	VF-3-60-105(MS)	AIR FLUE 6" STOVE PIPE MED ADJUSTABLE 600MM MALE STARTER	\$ 93.50
	VF-3-60-105(2M)	AIR FLUE 6" STOVE PIPE MED ADJUSTABLE 600MM MALE	\$ 93.50
	VF-3-60-105(1F)	AIR FLUE 6" STOVE PIPE MED ADJUSTABLE 600MM FEMALE	\$ 93.50
	VF-3-60-109(MS)	AIR FLUE 6" STOVE PIPE LRG ADJUSTABLE 1MTR MALE STARTER	\$ 104.50
	VF-3-60-109(2M)	AIR FLUE 6" STOVE PIPE LRG ADJUSTABLE 1MTR MALE	\$ 104.50
	VF-3-60-109(1F)	AIR FLUE 6" STOVE PIPE LRG ADJUSTABLE 1MTR FEMALE	\$ 104.50

NOTE: MALE ADJUSTABLE PIPE AND STARTERS ARE COMPATIBLE WITH TWIST LOCK STOVE PIPE

SNORKELS	VF-3-60-099	AIR FLUE UNIVERSAL ADJUSTABLE SNORKEL STD V2	\$ 162
	VF-3-60-191	AIR FLUE UNIVERSAL ADJUSTABLE SNORKEL LRG	\$ 162
ADAPTOR	VF-3-60-093	AIR FLUE 6" FLUSH SPIGOT ADAPTOR	\$ 40
TRANSITIONS	VF-3-60-108	AIR FLUE 6" STOVE PIPE TO SAFETY VENT TRANSITION	\$ 162
	VF-3-60-118	AIR FLUE 6" STOVE PIPE TO SAFETY VENT TRANSITION 500MM	\$ 198
	VF-3-60-128	AIR FLUE 6" STOVE PIPE TO SAFETY VENT TRANSITION 1000MM	\$ 286
ELBOWS	VF-3-60-145	AIR FLUE 6" STOVE PIPE 45 ELBOW	\$ 132
	VF-3-60-290	AIR FLUE 6" STOVE PIPE 90 ELBOW (WALL PEN)	\$ 150

AIR FLUE 6" COMPONENTS

	Product Code	Description	RRP
CEILING RINGS	VF-3-60-110R	AIR FLUE 6" CEILING RING - 80MM 0-8 DEGREES RUBBER SEAL	\$ 55
	VF-3-60-112R	AIR FLUE 6" CEILING RING - 80MM 9-17 DEGREE	\$ 50
	VF-3-60-113R	AIR FLUE 6" CEILING RING - 80MM 18-28 DEGREE PITCH	\$ 50
	VF-3-60-111	AIR FLUE 6" CEILING RING - 150MM	\$ 50
RAIN CAPS	VF-3-60-001-V1	AIR FLUE 6" RAIN CAP V1	\$ 88
	VF-3-60-001-V2	AIR FLUE 6" RAIN CAP V2	\$ 140
SUPPORTS	VF-3-60-002	AIR FLUE 6" SUPPORT 1	\$ 55
	VF-3-60-003	AIR FLUE 6" SUPPORT 2	\$ 77
	VL6RB-KIT-BL	AIR FLUE ROOF BRACE KIT - BLACK	\$ 104.50
	VL6RB-AIR-B	AIR FLUE 6" / ROOF BRACE BLACK ADD RING	\$ 88
	VL6RB-RING-BK	ROOF BRACE RING - ADJUSTABLE BLACK - SUITS AIR OR DEFAULT	\$16.50
	VF-3-60-246	AIR FLUE 6" ELBOW SUPPORT BRACKET KIT (v2) (2 PIECES)	\$ 55
SNORKEL TO HEATER JOINS	VF-5-01-001	100MM ADJUSTABLE ELBOW 0 TO 90 DEGREES	\$ 38
	VF-3-01-104	100MM 45 DEG GAL BEND POWDER COAT BLACK	\$ 33
	VF-3-01-105	100MM 90 DEG GAL BEND POWDER COAT BLACK	\$ 33
WALL PLATE	VF-3-60-115	AIR FLUE 6" WALL PEN WALL PLATE - 45 DEGREE SQUARE	\$ 66

TWIST LOCK AIR FLUE COMPONENTS

	Product Code	Description	RRP
FIXED LENGTH FLUE	VF-TW-100	AIR FLUE 6" STOVE PIPE 250MM TWIST LOCK	\$ 88
	VF-TW-102	AIR FLUE 6" STOVE PIPE 500MM TWIST LOCK	\$ 121
	VF-TW-106	AIR FLUE 6" STOVE PIPE 1000MM TWIST LOCK	\$ 154
	VF-TW-107	AIR FLUE 6" STOVE PIPE 1200MM TWIST LOCK	\$ 187
T SECTION	VF-TW-190	AIR FLUE 6" STOVE PIPE T SECTION v2 TWIST LOCK	\$ 162
ADJUSTABLE FLUE	VF-TW-104(F)	AIR FLUE 6" STOVE PIPE SML ADJUSTABLE 300MM FEMALE TWIST LOCK	\$ 77
	VF-TW-105(F)	AIR FLUE 6" STOVE PIPE MED ADJUSTABLE 600MM FEMALE TWIST LOCK	\$ 93.50
	VF-TW-109(F)	AIR FLUE 6" STOVE PIPE LRG ADJUSTABLE 1MTR FEMALE TWIST LOCK	\$ 104.50
TRANSITION	VF-TW-118	AIR FLUE 6" STOVE PIPE TO SAFETY VENT TRANSITION 500MM TWIST LOCK	\$ 198
ELBOW	VF-TW-145	AIR FLUE 6" STOVE PIPE 45 ELBOW TWIST LOCK	\$ 132




air flue system plus

EXTRA COMPONENTS

6" SAFETY VENT COMPONENTS


	Product Code	Description	RRP
SAFETY VENT LENGTHS	VF-3-60-201	AIR FLUE 6" SAFETY VENT 250MM	\$ 138
	VF-3-60-202	AIR FLUE 6" SAFETY VENT 500MM	\$ 170
	VF-3-60-203	AIR FLUE 6" SAFETY VENT 1000MM	\$ 260
ELBOW	VF-3-60-245	AIR FLUE 6" SAFETY VENT 45 ELBOW	\$ 166
T SECTION	VL6SB-FI	SAFETY VENT T SECTION	\$ 170
WALL PLATE	VL6SB-02-FI	SAFETY VENT WALL BRACKET INC WALL PLATE	\$ 260
	VL6ADL-AIR	SAFETY VENT STARTER BOX	\$ 165
	VL6WS-AIR	SAFETY VENT ISOLATION BOX	\$ 150
	VL6TK01-FI	SAFETY VENT CLEAN OUT CAP	\$ 38.50



VL6ADL-AIR
FOR PASSIVE HOME INSTALLATION



VL6WS-AIR



VL6SB-02-FI
EXTERNAL WALL BRACKET

AIR FLUE 8" COMPONENTS

	Product Code	Description	RRP
FIXED LENGTH FLUE	VF-3-80-100	AIR FLUE 8" STOVE PIPE 250MM	\$ 100
	VF-3-80-102	AIR FLUE 8" STOVE PIPE 500MM	\$ 134
	VF-3-80-106	AIR FLUE 8" STOVE PIPE 1000MM	\$ 200
	VF-3-80-107	AIR FLUE 8" STOVE PIPE 1200MM	\$ 220
T-SECTION	VF-3-80-090	AIR FLUE 8" STOVE PIPE T SECTION	\$ 162
ADJUSTABLE FLUE	VF-3-80-104	AIR FLUE 8" STOVE PIPE 420-610MM ADJUSTABLE	\$ 185
	VF-3-80-105	AIR FLUE 8" STOVE PIPE 620-1080MM ADJUSTABLE	\$ 210
SNORKELS	VF-3-60-099	AIR FLUE UNIVERSAL ADJUSTABLE SNORKEL STD V2	\$ 162
	VF-3-60-191	AIR FLUE UNIVERSAL ADJUSTABLE SNORKEL LRG	\$ 162
TRANSITION	VF-8-80-108	AIR FLUE 8" STOVE PIPE TO SAFETY VENT TRANSITION	\$ 164
ELBOW	VF-3-80-145	AIR FLUE 8" STOVE PIPE ELBOW	\$ 143
CEILING RING	VF-3-80-110	AIR FLUE 8" CEILING RING - 80MM	\$ 55
RAIN CAP	VF-8-80-001	AIR FLUE 8" RAIN CAP BLACK	\$ 205
SUPPORT	VF-8-80-002	AIR FLUE 8" SUPPORT 1	\$ 89
	VF-8-80-003	AIR FLUE 8" SUPPORT 2	\$ 86
	VF-3-80-246	AIR FLUE 8" ELBOW SUPPORT BRACKET KIT	\$ 55
SNORKEL TO HEATER JOINS	VF-5-01-001	100MM ADJUSTABLE ELBOW 0 TO 90 DEGREES	\$ 38
	VF-3-01-104	100MM 45 DEG GAL BEND POWDER COAT BLACK	\$ 33
	VF-3-01-105	100MM 90 DEG GAL BEND POWDER COAT BLACK	\$ 33
ADAPTOR	VF-3-80-093	AIR FLUE 8" FLUSH SPIGOT ADAPTOR	\$ 40

8" SAFETY VENT COMPONENTS

	Product Code	Description	RRP
SAFETY VENT LENGTHS	VF-8-80-200	AIR FLUE 8" SAFETY VENT 200MM	\$ 154
	VF-8-80-201	AIR FLUE 8" SAFETY VENT 250MM	\$ 168
	VF-8-80-202	AIR FLUE 8" SAFETY VENT 500MM	\$ 232
	VF-8-80-203	AIR FLUE 8" SAFETY VENT 1000MM	\$ 378
	VF-8-80-204	AIR FLUE 8" SAFETY VENT 1200MM	\$ 438
ELBOWS	VF-8-80-205	AIR FLUE 8" SAFETY VENT 15 ELBOW	\$ 198
	VF-8-80-206	AIR FLUE 8" SAFETY VENT 30 ELBOW	\$ 213



INSULATED FLUE KITS


INSULATED FLUE 25mm KIT 4mtr

RRP - \$1245

INS25-6-KIT-R

Includes 5 locking bands
Boxed Kit Contains:

INS25-6-RC

INS25-6-AD

INS25-6-1000
BOXED SEPARATELY


INS25-6-CR

Flue kit minus the flat ring can be ordered using **INS25-6-KIT** if requiring a different pitched ceiling ring.

Specify ceiling ring code when ordering.

Extra Components

Product Code	Description	RRP	
INS25-6-100	INSULATED FLUE 25MM 100MM PIPE	\$ 90	
INS25-6-250	INSULATED FLUE 25MM 250MM PIPE	\$ 130	
INS25-6-500	INSULATED FLUE 25MM 500MM PIPE	\$ 145	
INS25-6-1000	INSULATED FLUE 25MM 1000MM PIPE	\$ 220	
INS25-6-ADJ1	INSULATED FLUE 25MM ADJUSTABLE 340 - 500MM PIPE	\$ 185	
INS25-6-ADJ2	INSULATED FLUE 25MM ADJUSTABLE 620 - 1080MM PIPE	\$ 185	
INS25-6-45	INSULATED FLUE 25MM 45 DEGREE ELBOW	\$ 145	
INS25-6-90	INSULATED FLUE 25MM 90 DEGREE ELBOW	\$ 145	
INS25-6-CR15	INSULATED FLUE 25MM CEILING RING 15 DEGREE	\$ 175	
INS25-6-CR22	INSULATED FLUE 25MM CEILING RING 22 DEGREE	\$ 175	
INS25-6-CR30	INSULATED FLUE 25MM CEILING RING 30 DEGREE	\$ 175	
INS25-6-CR45	INSULATED FLUE 25MM CEILING RING 45 DEGREE	\$ 175	



Flue support options - not included in the kit

Product Code	Description	RRP	
INS25-6-CS	INSULATED FLUE 25MM CEILING SUPPORT	\$ 99	
INS25-6-WB1	INSULATED FLUE 25MM WALL BRACE	\$ 99	
INS25-6-RB200	INSULATED FLUE ROOF BRACE KIT	\$ 116	

Extends 1700 - 3000mm



INSULATED FLUE KITS


INSULATED FLUE 45 WALL PEN KIT

RRP - \$1199

INS25-6-45WPKR


Includes 5 locking bands

Boxed Kit Contains:




Extra Components - add the **highlighted components** to suit the install as a minimum

Product Code	Description	RRP	
INS25-6-AD	INSULATED FLUE 25MM SPIGOT ADAPTOR	\$ 45	
INS25-6-100	INSULATED FLUE 25MM 100MM PIPE	\$ 90	
INS25-6-250	INSULATED FLUE 25MM 250MM PIPE	\$ 130	
INS25-6-500	INSULATED FLUE 25MM 500MM PIPE	\$ 145	
INS25-6-1000	INSULATED FLUE 25MM 1000MM PIPE	\$ 220	
INS25-6-ADJ1	INSULATED FLUE 25MM ADJUSTABLE 340 - 500MM PIPE	\$ 185	
INS25-6-ADJ2	INSULATED FLUE 25MM ADJUSTABLE 620 - 1080MM PIPE	\$ 185	
INS25-6-45	INSULATED FLUE 25MM 45 DEGREE ELBOW	\$ 145	
INS25-6-90	INSULATED FLUE 25MM 90 DEGREE ELBOW	\$ 145	
INS25-6-RC	INSULATED FLUE 25MM RAIN CAP	\$ 145	



Standard wall penetration kit may require **INS25-6-ADJ2** adjustable pipe added to substitute the 1 metre rigid pipe included in the kit depending on the unit height, ceiling height, distance too the wall and required centre to centre distance.




INS25-6-WB1
Optional wall bracket



Price as shown \$ 1928

- 1x INS25-6-AD
- 1x INS25-6-45WPKR
- 2x INS25-6-1000
- 1x INS25-6-250
- 1x INS25-6-WB1
- 1x INS25-6-RC

Flue support options - not included in the kit

Product Code	Description	RRP	
INS25-6-CS	INSULATED FLUE 25MM CEILING SUPPORT	\$ 99	
INS25-6-WB1	INSULATED FLUE 25MM WALL BRACE	\$ 99	
INS25-6-RB200	INSULATED FLUE ROOF BRACE KIT	\$ 116	

Extends 1700 - 3000mm



INSULATED FLUE KITS

INSULATED FLUE 90 WALL PEN KIT

RRP - \$1199

INS25-6-90WPKR

Includes 5 locking bands

Boxed Kit Contains:




1X

INS25-6-ADJ1



1X

INS25-6-90T



1X

INS25-6-TWB
50 - 200MM
ADJUSTMENT OFF THE WALL



1X

INS25-6-CAP

BOXED SEPARATELY




2X

INS25-6-CR

Extra Components - add the **highlighted components** to suit the install as a minimum


Product Code	Description	RRP	
INS25-6-AD	INSULATED FLUE 25MM SPIGOT ADAPTOR	\$ 45	
INS25-6-100	INSULATED FLUE 25MM 100MM PIPE	\$ 90	
INS25-6-250	INSULATED FLUE 25MM 250MM PIPE	\$ 130	
INS25-6-500	INSULATED FLUE 25MM 500MM PIPE	\$ 145	
INS25-6-1000	INSULATED FLUE 25MM 1000MM PIPE	\$ 220	
INS25-6-ADJ1	INSULATED FLUE 25MM ADJUSTABLE 340 - 500MM PIPE	\$ 185	
INS25-6-ADJ2	INSULATED FLUE 25MM ADJUSTABLE 620 - 1080MM PIPE	\$ 185	
INS25-6-45	INSULATED FLUE 25MM 45 DEGREE ELBOW	\$ 145	
INS25-6-90	INSULATED FLUE 25MM 90 DEGREE ELBOW	\$ 145	
INS25-6-RC	INSULATED FLUE 25MM RAIN CAP	\$ 145	



340 - 500MM ADJUSTABLE PIPE

INS25-6-WB1




Optional wall
bracket



Price as shown \$ 2113

- 1x INS25-6-AD
- 1x INS25-6-90WPKr
- 3x INS25-6-1000
- 1x INS25-6-500
- 1x INS25-6-WB1
- 1x INS25-6-RC

Flue support options - not included in the kit

Product Code	Description	RRP	
INS25-6-CS	INSULATED FLUE 25MM CEILING SUPPORT	\$ 99	
INS25-6-WB1	INSULATED FLUE 25MM WALL BRACE	\$ 99	
INS25-6-RB200	INSULATED FLUE ROOF BRACE KIT	\$ 116	

Extends 1700 - 3000mm

DEFAULT FLUE KITS

VF-3-00-001 6" DEFAULT MESH FLUE KIT BLACK 4MTR

RRP - \$ 550



- 4x 1000MM LENGTH 150MM (6") STAINLESS
- 2x 1000MM LENGTH 200MM (8") VISIONLINE SILHOUETTE MESH
- 1x 1000MM LENGTH 200MM 8 1/4" GAL FLUE
- 1x 1000MM LENGTH 250MM 10 1/4" GAL FLUE
- 1x 1000MM 200MM (8 1/4") / 250MM (10 1/4") DROP BOX WITH VENTED SPACE CAP AND SPACERS
- 1x 250MM (10 1/4") GAL BLACK CEILING RING
- 1x STAINLESS STEEL HIGH WIND COWL
- 1x SET GAL ANGLE BRACKETS

VF-3-00-003 6" DEFAULT SOLID FLUE KIT BLACK 4MTR

RRP - \$ 550



- 4x 1000MM LENGTH 150MM (6") STAINLESS
- 2x 1000MM LENGTH 200MM (8") VISIONLINE SOLID BLACK
- 1x 1000MM LENGTH 200MM 8 1/4" GAL FLUE
- 1x 1000MM LENGTH 250MM 10 1/4" GAL FLUE
- 1x 1000MM 200MM (8 1/4") / 250MM (10 1/4") DROP BOX WITH VENTED SPACE CAP AND SPACERS
- 1x 250MM (10 1/4") GAL BLACK CEILING RING
- 1x STAINLESS STEEL HIGH WIND COWL
- 1x SET GAL ANGLE BRACKETS

VF-3-00-006 6" DEFAULT MESH FLUE KIT FULL POWDERCOAT BLACK 4MTR

RRP - \$ 550




- 4x 1000MM LENGTH 150MM (6") STAINLESS
- 2x 1000mm length 200mm (8") Visionline silhouette mesh
- 1x 1000mm length 200mm 8 1/4" Gal Flue
- 1x 1000mm length 250mm 10 1/4" Gal Flue Powder Coat Satin Black
- 1x 1000mm 200mm (8 1/4") / 250mm (10 1/4") drop box with vented space cap and spacers
- 1x 250mm (10 1/4") gal black ceiling ring
- 1x stainless steel high wind cowl Powder Coat Black
- 1x set gal angle brackets

THIS PICTURE DOESN'T REFLECT THE CORRECT COWL OR COLOUR OF THE KIT. ALL OUTER CASINGS AND COWL ARE BLACK

VF-3-00-005 6" Triple Skin FLUE KIT 4MTR including cowl

RRP - \$ 602



4x 1000MM LENGTH 150MM (6") STAINLESS

4x 1000MM LENGTH 200MM 8 1/4" GAL FLUE

4x 1000MM LENGTH 250MM 10 1/4" GAL FLUE

1x STAINLESS STEEL HIGH WIND COWL

1x SET GAL ANGLE BRACKETS

1x INSTALLATION INSTRUCTIONS

Extra Flue components

	VF-3-01-100	6" STAINLESS FLUE 1MTR	\$ 65
	VF-3-01-101	6" STAINLESS 45 ELBOW	\$ 72
COWLS	VF-3-01-000	6" COWL SS - ORIGINAL STANDARD EURO COWL	\$ 132
	VF-3-01-001	6" COWL SS - NEW HIGH WIND	\$ 132
	VF-3-01-002	6" COWL SS - ORIGINAL HIGH WIND	\$ 132
	VF-3-01-006	6" COWL SS NEW HIGH WIND - BLACK	\$ 165
MASONRY	VF-3-01-004	6" CHIMNEY PLATE	\$ 90
	VF-3-11-023	6" INSERT STARTER 45 ELBOW	\$ 58
	VF-4-01-001	6" S.S. FLEX FLUE 1M WITH ADAPTOR	\$ 95
	VF-4-01-002	6" S.S. FLEX FLUE 4M	\$ 320
	VF-4-01-003	6" S.S. FLEX FLUE ADAPTOR	\$ 28
SOLID 8" DECRO	VF-3-11-020	6" DECROSOLID SET BLACK 1MTR	\$ 131
	VF-3-11-021	6" DECROSOLID 45 ELBOW SET BLACK FORWARD	\$ 167
	VF-3-11-022	6" DECROSOLID 45 ELBOW SET BLACK BACK	\$ 167
TRIPLE SKIN	VF-3-01-102	6" TRIPLE SKIN SET 1MTR	\$ 150
	VF-3-01-103	6" TRIPLE SKIN 45 SET	\$ 147
	VF-3-01-109	6" TRIPLE SKIN SET 1MTR - BLACK	\$161.00
	VF-3-01-107	6" TRIPLE SKIN 45 SET - BLACK	\$157.70
	VF-3-01-210	6" DEFAULT HEAT SHIELD	\$ 75
	VF-3-01-003	6" DEFAULT CEILING RING BLACK	\$ 66
	VF-3-01-200	6" DEFAULT DECRO LOCATING RING - BLK	\$ 32
	VL6RB-AIR-B	FLUE ROOF BRACE BLACK PAIR - RING NOT INCLUDED- SUITS AFS IFS OR SFS	\$ 88
	VL6RB-RING-BK	ROOF BRACE RING - ADJUSTABLE BLACK - SUITS AIR OR DEFAULT	\$ 16.50

PELLET FLUE KITS

Pellet flue kit 4mtr Vertical black

RRP - \$856

PFK-VRT-BK

Description

1x FLUE ADAPTER

1x 90 DEGREE TEE WITH LOCKING BAND AND CAP

4x 1000MM STRAIGHT PIPE W/LOCKING BAND

1x CEILING RING WITH RUBBER RING

1x ROOF BRACING

1x VERTICAL CAP- BLACK



Pellet flue kit Horizontal termination

RRP - \$711

PFK-HOR

Description

1x FLUE ADAPTER

1x 340-500MM ADJUSTABLE PIPE BLACK

1x 90 DEGREE TEE WITH LOCKING BAND AND CAP

1x CEILING RING WITH RUBBER RING

1x BASE WALL SUPPORT WITH BRACKET BLACK

1x 1000MM STRAIGHT PIPE W/LOCKING BAND

1x 90 DEGREE ELBOW W/LOCKING BAND

1x HORIZONTAL CAP BLACK



Pellet flue kit rear wall pen 4mtr Vertical black

RRP - \$980

PFK-RWPVRT-BK

Description

1x FLUE ADAPTER

1x 340-500MM ADJUSTABLE PIPE BLACK

1x 90 DEGREE TEE WITH LOCKING BAND AND CAP

1x BASE WALL SUPPORT WITH BRACKET BLACK

4x 1000MM STRAIGHT PIPE W/LOCKING BAND

1x CEILING RING WITH RUBBER RING

1x WALL BRACKET


1x VERTICAL CAP- BLACK



EXTRA COMPONENTS


Product Code	Description	RRP
IN-TW-80-1000-BK	PELLET FLUE- 1000MM STRAIGHT PIPE w LOCKING BAND- BLACK	\$ 127
IN-TW-80-500-BK	PELLET FLUE- 500MM STRAIGHT PIPE w LOCKING BAND- BLACK	\$ 75
IN-TW-80-BK-BK	PELLET FLUE- ADJUSTABLE BRACKET- BLACK	\$ 33
IN-TW-80-BS-BK	PELLET FLUE- BASE WALL SUPPORT w BRACKET AND LOCKING BAND- BLACK	\$ 110
IN-TW-80-CP-BK	PELLET FLUE- TRIM PLATE- BLACK	\$ 20
IN-TW-80-E45-BK	PELLET FLUE- 45 DEGREE BEND w LOCKING BAND- BLACK	\$ 72
IN-TW-80-E90-BK	PELLET FLUE- 90 DEGREE BEND w LOCKING BAND- BLACK	\$ 88
IN-TW-80-LB001-BK	PELLET FLUE- LOCKING BAND- BLACK	\$ 11
IN-TW-80-RC03-BK	PELLET FLUE- RAIN COWL- BLACK	\$ 83
IN-TW-80-RC02-BK	PELLET FLUE- HORIZONTAL CAP- BLACK	\$ 50
IN-TW-80-RS-BK	PELLET FLUE- ROOF SUPPORT CARBON STEEL- BLACK	\$ 39
IN-TW-80-T90-BK	PELLET FLUE- 90 DEGREE TEE w LOCKING BAND- BLACK	\$ 165
IN-TW-80-TCP01-BK	PELLET FLUE- END CAP w LOCKING BAND- BLACK	\$ 28
IN-TW-80-ADP01-SS	PELLET FLUE- STOVE ADAPTOR w LOCKING BAND- S/S	\$ 17

OFFSETS




Fixed length between elbows

	A	B
100MM	389	169
250MM	491	307
500MM	645	461
1000MM	1000	815




Adjustable length between elbows

		A	B
340-500	CONTRACTED	544	360
340-500	EXTENDED	723	538
620-1080	CONTRACTED	650	467
620-1080	EXTENDED	925	741




Back to back elbows



Fixed length between safety vent elbows

EXTENSION BETWEEN	A	B
0	485	201
250MM	661	378
500MM	821	537
1000MM	1174	890



Stove pipe elbow
VF-3-60-145

A	45°
B	193 MM
C	65 MM
C X 2	148 MM
D X 2	383 MM

visionLINE™



VisionLINE flue systems offer optional adjustable roof supports, designed to make pipe installation above the roof both simple and secure. These robust adjustable arms ensure stability, even in high winds, and meet the requirements for pipes that need to clear obstructions in compliance with AS/NZS 2918.

Bushfire Attack Level

In certain Australian regions, Bushfire Attack Levels (BAL) assess the risk of bushfire impact. The construction risk varies based on the rating in your area, which may require specific building materials and methods. VisionLINE's AFS+ and IFS flue systems are tested and rated to the highest BAL-FZ standard, in accordance with AS 1530.8.2 and AS 3959. This ensures that you can safely install a wood fireplace in a BAL-FZ zone while remaining fully compliant.



Testing

All VisionLINE flue systems undergo rigorous testing per Appendix F of AS/NZS 2918, covering the installation of venting pipes through the roof. Both IFS and AFS+ pipes also hold an opinion letter for Appendix B of AS/NZS 2918, which addresses appliance and pipe clearance within the room. Additionally, AFS+ is CE-EN-NO 1856 certified, which tests for tensile and compressive strength, wind load performance, aerodynamic stability under wind tunnel conditions, and gas tightness from unit to termination. This testing includes scenarios in enclosed environments, such as passive home envelopes. It's the only flue system in Australia with this certification.



Warranty

VisionLINE flue systems are backed by a 10-year warranty against manufacturing defects. The warranty does not cover damage resulting from incorrect installation or misuse beyond product specifications.



CE-Certified Ceramic Insulation

All VisionLINE insulated flue systems use a CE-certified ceramic insulation blanket. This ceramic fibre insulation delivers optimal performance for clearance and structural integrity, ensuring quality and safety. The blanket is tested to CE standards and can withstand temperatures above 1,750°C and 123 kg/m³ pressure, as per EN testing requirements. This allows for the minimum possible clearance with a 25mm insulated flue pipe.

Powder-Coated Finish

All VisionLINE flue systems feature a strong and durable powder-coated finish. Powder coating not only adds a stylish touch to your flue system but also provides a protective layer for the outer flue, making it ideal for areas exposed to harsh environmental conditions, including seaside locations. Additionally, powder coating enables the outdoor installation of a black-finished pipe, unlike high-temperature wet paint, which is not designed for exterior use.

The powder coat finish can also be touched up with Stove Bright Satin Black paint if it is scratched during installation.



VISIONLINEFIRE.COM.AU



Australian
Home Heating



FIREWOOD ASSOCIATION
OF AUSTRALIA INC.